Findus

BERGLKA bewegt

Address	Shipping address

☐ Order

☐ Estimate

Purchaser: _____

Telephone: _____

MADE IN GERMANY

CRASH TESTED ISO 7176-19

UNITOMIC® ANATOMIC SEAT&BACK-FRAME

Findus

Kids & Teens

Wheelchair for children, growing along with the infant user
Rigid frame, available in straight and abduction frame

All dimensions in cm
Dimensional tolerances +/- 0,5cm

Capacity up to
100 kg (SW 18 and 26cm)
120 kg (SW 28 till 46cm)

user weight: _____ kg

basic measures

Note for frame length 1:
straight frame: only with 20° possible
abduction frame: 22° from camber 7° possible
20° from camber 0° to 10° possible

Seat width (SW)

4cm to grow

☐* ☐* ☐ ☐
20 22 24 26

☐ ☐ ☐ ☐
28 30 32 34

☐ ☐ ☐
36 38 40

* only with abduction frame CODE 2202 possible

Special seat width

☐ ☐ ☐
42 44 46

Code 2200A

Seat depth (SD)

frame length	frame straight	abduction frame
☐ 1	☐☐☐ 20 22 24	☐☐☐☐ 20 22 24 26
☐ 2	☐☐☐ 24 26 28	☐☐☐☐ 24 26 28 30
☐ 3	☐☐☐ 28 30 32	☐☐☐☐ 30 32 34 36
☐ 4	☐☐☐ 32 34 36	☐☐☐☐ 34 36 38 40
☐ 5	☐☐☐ 36 38 40	☐☐☐☐ 38 40 42 44
☐ 6 special frame length	☐☐☐ 42 44 46	☐☐☐ 44 46 48 Code 2200E

back height (BH)

☐ ☐
20 25

☐ ☐
30 35

☐
40

Lower Leg Length (LLL):

LLL: ..... cm

(regarding seat upholstery)

min. 12 cm
(without seat cushion)
max. 45 cm

max. LLL = SH - 3cm

frame length 1- 6 not for the special frame "Meckl" or "Extreme"

frame

frame screwed / growing

Frame straight
(growing)
from SW 22cm

☐ Code 2201

Abduction frame
(growing)
from SW 22cm

☐ Code 2202

Note
frame FINDUS is growing

Seat width: from SW 22cm to grow each 1 till 4cm

Seat depth: per frame length to be increased from the smallest seat depth to 6cm

(modification without new frame parts)

frame welded

frame straight welded

☐ Code 2101

not growing

abduction frame welded

☐ Code 2100

note






Technical changes and print mistakes reserved.

Technical data


seat width **SW**

from outside frame to outside frame +6mm




seat depth **SD**

from back tube to upper edge seat upholstery



back height **RH**

from upper edge seat upholstery to upper edge back upholstery



Lower Leg Length LLL: 15 to 49 cm

Overall width of the wheelchair:

wheels with handrim	with / without drum brake
at 0° camber	SW + 20cm
at 3° camber	SW + 24cm
at 5° camber	SW + 26cm
at 7° camber	SW + 29cm
at 10° camber	SW + 34cm

Seat height **SH**

(to the seat upholstery / measure without seat upholstery 1,5cm lower)

FINDUS

Rear wheel	Castor fork		minimum seat height front	minimum seat height back	maximum seat height front	maximum seat height back
20 inch	4 inch	- extra short	37 cm	29 cm	40 cm	38 cm
		- short	40 cm	29 cm	43 cm	38 cm
	5 inch	- extra short	38 cm	29 cm	41 cm	40 cm
		- short	41 cm	29 cm	44 cm	43 cm
	6 inch	- short	42 cm	29 cm	45 cm	43 cm
22 inch	4 inch	- short	40 cm	32 cm	43 cm	43 cm
		- long	42 cm	32 cm	47 cm	46 cm
	5 inch	- short	41 cm	32 cm	44cm	43 cm
		- long	43 cm	32 cm	48 cm	48 cm
	6 inch	- short	42 cm	32 cm	45 cm	45 cm
		- long	44 cm	32 cm	49 cm	47 cm
	140mm	- wide	42 cm	32 cm	46 cm	46 cm
24 inch	4 inch	- short	40 cm	35 cm	43 cm	43 cm
		- long	42 cm	35 cm	47 cm	46 cm
	5 inch	- short	41 cm	35 cm	44 cm	43 cm
		- long	43 cm	35 cm	48 cm	47cm
	6 inch	- short	42 cm	35 cm	45 cm	43 cm
		- long	44 cm	35 cm	49 cm	48 cm
	140mm	- wide	42 cm	35 cm	46 cm	46 cm

All measure ± 0,5 cm

Notice: seat height without seat upholstery = SH-2cm (to the frame)

Notice: at the castor wheels PU-black are the minimal seat height with the fork short and extra short not possible

Technical changes and print mistakes reserved.

frame colour

Because of the material are different colours possible

shiny

- ☐ 25 RAL9010 white
- ☐ 56 RAL1021 goldyellow met.
- ☐ 24 RAL1028 melonyellow
- ☐ 27 mandarin met.
- ☐ 41 RAL3020 traffic red met.
- ☐ 06 dormantred
- ☐ 40 redmetallic
- ☐ 43 RAL4010 telemagenta met.
- ☐ 53 cassis
- ☐ 59 atlanticblue met.
- ☐ 44 RAL5015 sky blue met.
- ☐ 16 RAL5002 ultramarine blue
- ☐ 17 dormantblue
- ☐ 64 petrolgreen met.
- ☐ 50 applegreen
- ☐ 51 applegreen metallic
- ☐ 45 RAL6018 yellowgreen
- ☐ 60 mojitogreen met.
- ☐ 19 silvermetallic
- ☐ 23 RAL9005 black

met. = metalized

frame colour

Because of the material are different colours possible

mat / satined

- ☐ 76 white satined
- ☐ 65 goldyellow met. satined
- ☐ 66 mandarin met. satined
- ☐ 67 traffic red satined
- ☐ 68 telemagenta met. satined
- ☐ 69 purpur met. satined
- ☐ 61 cool mint mat
- ☐ 72 skyblue met. satined
- ☐ 71 atlanticblue met. satined
- ☐ 70 ultramarinblue satined
- ☐ 75 petrolgreen met. satined
- ☐ 73 yellowgreen met. satined
- ☐ 74 mojitogreen met. satined
- ☐ 77 silvermetallic satined
- ☐ 22 RAL9011 black mat

met. = metalized

upholstery colours

upholstery standard





- ☐ DE290 black

upholstery breathable fabric

- ☐ AG410 yellow
- ☐ AG430 red
- ☐ AG441 pink
- ☐ AG450 ultramarine
- ☐ AG451 king blue
- ☐ AG460 lemon
- ☐ AG470 grey
- ☐ AG490 black

only for adjustable back upholstery

frame accessories

Tip shackle	Transit wheels	Walking stick holder aluminium with holder (for 2 crutches)	Anti-tip wheel swing away	Anti-tip wheel high adjustable with gear segment
☐ right ☐ left		☐ right ☐ left	☐ right ☐ left	☐ right ☐ left
				
Code 105	Code 102	Code 103	Code 104	Code 2212
☐ Piece	☐ Pair	☐ Piece	☐ Piece	☐ Piece

note

Technical changes and print mistakes reserved.

footrest with calf strap


Single footrest, angle adjustable
(not for folding upwards)
LLL 30cm - 44cm



Code 2240

☐ Piece

Single footrest, mounted in frame and angle adjustable
(not for folding upwards)



LLL 12 - 35cm

Clamp plate
☐ 60mm
☐ 85mm Standard
☐ 145mm

Code 2241

☐ Piece


Single footrest, angle adjustable, lateral folding upwards possible
from LLL 30cm



Code 2242

☐ Piece

Single footrest, mounted in frame angle adjustable, lateral folding upwards possible
frame straight from SW 28
Abdu. frame from SW 22



LLL 12 - 35cm

Clamp plate
☐ 60mm
☐ 85mm Standard
☐ 145mm

Code 2243

☐ Piece

Single footrest, angle adjustable, folded back possible
Note:: max. LLL= SH - 7cm

Castor 6" / 140mm only with special footrest bracket
Castor 4" / 5"

frame straight	from SW 28	from SW 32
Abdu. frame	from SW 22	from SW 26




Code 2252

footrest bracket standard LLL 32 - 41cm
footrest bracket cropped LLL 27 - 35cm

☐ Piece

footrest

Single footrest plate, mounted central backward folding upwards
max. SW 38
max. frame length 4
from LLL15cm




Code 2259

Note:: max. LLL= SH - 7cm
only with alu seat plate CODE 2218F possible

☐ Piece

Single footplate, mounted central and backward foldable
Footrest tube long: to LLL 32cm
Footrest tube extra long: to LLL 40cm
(at maximum seat height)
max. SW 38
max. frame length 4
from LLL15cm




Code 2259H

only with alu seat plate CODE 2218F possible

☐ Piece

Calf cushion
for footrest plate central




Code 2259W

☐ Piece

footrest with calf strap


Single footrest, alu-profile angle adjustale, black
from LLL 28 cm
frame straight from SW 26
abduction frame from SW 20



Code 2254

☐ Piece

Single footrest, alu-profile mounted in frame, black
from LLL 12 to 35
frame straight from SW 28
abduction frame from SW 22



Clamp plate
☐ 60mm
☐ 85mm Standard
☐ 145mm

Code 213

☐ Piece

Spasticity lock for footrest

single footrest		double footrest
alu-profile	**flat-profile**	**alu-profile**
for CODE 213 / 2254	for CODE 2253 / 2255	for CODE 218 / 216
☐ Code 122	☐ Code 1122	☐ Code 123

Double footrest, alu-profile mounted in frame, black
from LLL 12 to 35
frame straight from SW 28
abduction frame from SW 22




Clamp plate
☐ 60mm
☐ 85mm Standard
☐ 145mm

Code 218

☐ Piece

Double footrest, alu-profile angle adjustable
from LLL 28cm
frame straight from SW 26
abduction frame from SW 20




Code 216

☐ Pair

footrest with calf strap

Single footrest, alu. flat-profile, black angle adjustable
from LLL 28 cm
frame straight from SW 24
abduction frame from SW 20




Code 2253

☐ Piece

Single footrest a. flat-profile mounted in frame, angle adjustable, black
frame straight from SW 24
abduction frame from SW 20
from LLL 12 to 35


Code 2255



Clamp plate
☐ 60mm
☐ 85mm Standard
☐ 145mm

☐ Piece

Mechanism for swing up for single footrest
(swing away outside)
from LLL 34cm
(only in combination with Code 2242, 2254 or Code 2253)



Code 2245

(for footrest Code 2247 please use Code 2245A)

☐ Piece

Footrest coloured
for footrest alu profile

colour: _____

_____


Code 417

frame colours see on page 3

☐

Double footrest alu-profile displaced
with footrest bracket and clamp plate, angle adjustable
from LLL 28
frame straight from SW 28
abduction frame from SW 22

Clamp plate 85mm



Code 2246

☐ Piece

Single footrest alu-profile displaced
with footrest bracket and clamp plate angle adjustable
from LLL 28
frame straight from SW 28
abduction frame from SW 22

Clamp plate 85mm



Code 2247

☐ Piece

MECKI- / EXTREME-frame

Note: the frame MECKI and EXTREME is only possible with the brakes integrated in the side guards (CODE 2289) !

FINDUS open special frame
"MECKI"
Special construction

 # open frame *1
only with the lower frame tube
only with footrest CODE 2244 possible
from SW 24
frame screwed (growing)

☐ Code 2202M

FINDUS open special frame
"EXTREME"
Special construction###

 # extreme open frame *1
only with a lower frame tube
only with footrest CODE 2244
from SW 24
frame screwed (growing)

☐ Code 2202E

MECKI- / EXTREME-frame:

only possible with brake integrated in side guard
only possible with side guard CODE 433 or 230 (without armpads)
knee angle brake CODE 174K only in special constructions (price on application) !!!
 # NOT Crash tested !!!

footrest:
only with footrest CODE 2244 or
seat plate aluminium CODE 2218F with footrest central mounted CODE 2259 possible

Single footrest for FINDUS MECKI- / EXTREME frame
mounted in the middle of the frame with clamp plates
(folding upwards not possible)
only for special frame MECKI or EXTREME
from SW 24



Code 2244

☐ Piece





*1 Note: please look at page 8/13 Technical Data for the frame shape and seat depth.

Technical changes and print mistakes reserved.

Height of push handles

Height of push handles for companion = Back height + Seat height + Height of push handle

Height of push handles for companion = BH + SH + HPH



	Back standard	Back with height adjustable push handle				
		15cm normal	35cm long	45cm extra long reinforced	cropped	bent rewards
						
HPH						
min.	3cm	4cm	4cm	4cm	21cm	12cm
max.		19cm	39cm	49cm	38cm	29cm
					push handle each side 6cm outside	push handle each side 9cm backwards

Technical changes and print mistakes reserved.



Details see Techn. data page 4/13.

back

* Note: CODE 2205V and 2205L only possible in combination with CODE 2205 III

Back with upholstery , back angle adjustable	Back with upholstery and height adjustable push handles	Push handles height adjustable, reinforced	Back with upholstery and push bow angle adjustable, height adjustable (instead of push handles)	Back angle adjustable and **titlable with locking pin**
from BH 20 	from BH 20 	(from 40kg recommended) Code 2205V *	from SW22 	back angle 70° - 120° (10° step) only in combinaiton with CODE 2204, 2205, 2222 or 2222U 
☐ Code 2204	☐ 15cm (standard) ☐ 35cm (long) ☐ offset outwards ☐ bent backwards Code 2205	Push handles extra long 45cm push handles are reinforced Code 2205L *	☐ Code 2222U U-form ☐ Code 2222 trapezium	Code 2208R with FIDIBUS from SW 30cm with FIDIBUS only 3cm curved
Standard ☐ Piece	☐ Piece	☐	Piece	☐ Piece

back

without back upholstery	Distance for push handle holder	Back **UNITOMIC** with push handle and upholstery (anatomic back)	Back **UNITOMIC** with push handles height ajustable and upholstery	Back with mono-push handle, and with adjustable upholstery and with single push handle (instead of 2 push handles)	SlimLine design for breathable upholstery (fabric 75, 89, 92, 94, 95 and 96)
Code 2204R	per set 20mm displaced backwards Code 2209	from BH 40  Code 2226	angle adjustable from BH 30 angle adjustable and tiltable from BH35  Code 2207	triangle only up to SW 34 (and frame length 2)  Code 2228	 coloured 1 (inside): black AG490 coloured 2 (outside): bicoloured upholstery
☐	☐ Set	☐ Piece	☐ Piece	☐ Piece	☐ Code 202

back

Note: FIDIBUS-back 50mm curved back by back tiltable only from SW 30cm possible !!

Note: When using SlimLine-Design (CODE 202) the seat cushion (CODE 470 / 471 / 472) is also supplied in SlimLine-Design.

Note: FIDIBUS back CARBON see FIDIBUS order form VD620

FIDIBUS back

ergonomic back cushion

price reduction of the back upholstery is considered in the price of the FIDIBUS back

extrem light ergonomic formed back cushion 

curved back **30mm** (standard) ☐ Code 2292

curved back **50mm** ☐ Code 2292-5

from SW 24 from BH 20

Please take prices and further informations from FIDIBUS order form

☐ Piece

FIDIBUS ASR back

anatomical shaped back plate ASR

alu back plate **coloured,** curved and beveled (without cushion)

colour: frame colour

CODE

30mm curved back (standard) ☐ 2296B

50mm curved back ☐ 2296B-5

☐ Piece

anatomical shaped back cushion ASR

back cushion (foam) with cover (without back plate)

CODE

30mm curved back (standard) ☐ 2296A

50mm curved back ☐ 2296A-5

☐ Piece

FIDIBUS

ergonomic seat **and** back 


curved back **30mm** (standard) ☐ Code 2290

curved back **50mm** ☐ Code 2290-5

Please take prices and further informations from FIDIBUS order form

☐ Set

FIDIBUS-ASR

ergonomic seat **and** back ASR 

curved back **30mm** (standard) ☐ Code 2290A


curved back **50mm** ☐ Code 2290A-5

☐ Set

seat

Cushion, with black cover

Cushion, with breathable cover .....



fabric : _____

Code 119 ☐ 3 cm Code 471 ☐

Code 120 ☐ 5 cm Code 472 ☐

☐ Piece

Change cover

Cover black ☐ Code 121

Cover **breathable** ..... ☐ Code 470

fabric AG410 yellow	fabric AG451 king blue
fabric AG430 red	fabric AG460 lemon
fabric AG441 pink	fabric AG470 grey
fabric AG450 ultramarine	fabric AG490 black

☐ Piece

Seat belt, black

plastic closure (from SW 28) Code 227

☐ Piece

metal closure Code 125

☐ Piece

FIDIBUS seat cushion

from SW 24 from SD 26

ergonomic seat cushion

extreme light ergonomic formed seat cushion

FIDIBUS-F **back straight**

seat cushion for back with upholstery



FIDIBUS **standard**

seat cushion for MATRIX or FIDIBUS back

☐ Code 2291F ☐ Code 2291

Please take prices and further informations from FIDIBUS-order form

Piece

seat

Note: for aluminium seat plate or PC-Carbon seat plate you can use the FIDIBUS seat cushion without aluminium plate -> CODE 2291OB

Seat plate, aluminium in frame colour

screwed on frame and with velcro tape for seat cushion

Code 2218 ☐ Pc. OE

with holes for footrest central backwards folding upwards

Code 2218F ☐ Pc. OE

for CODE 2259

Seat plate PC-Carbon

screwed on frame and with velcro tape for seat cushion

Code 2217


till max SW 40cm

till max SD 44cm

max. frame length 5

☐ Piece OE

Abduction wedge **pluggable**

with holder on alu seat plate 


Code 2218A

size: _____

only in combination with Code 2218 or 2218F

☐ Piece

Abduction wedge **removeable**

with holder on alu seat plate 

Code 2218AA

size: _____

only in combination with Code 2218 or 2218F

☐ Piece

abduction wedge measure

size	1	2	3	4
width front	6cm	7,5cm	9cm	10cm
width back	4,5cm	5,5cm	7cm	8cm
length	10cm	12cm	14cm	18cm
hight	8cm	8cm	10cm	12cm
for seat width	20-22	24-32	34-40	42-50

Frame for seat shell

without seat upholstery
without seat belt
without sliding roll
without back upholstery
without back upholstery carrier

Code 2203

(Net price reduction)

☐ Piece

Back only with upholstery carrier for back shell

without back plaid

Code 2206


only in combination with CODE 2203 possible!!

☐ Piece

Technical changes and print mistakes reserved.

frame length


for abduction frame CODE 2202 / 2100



Frame length	**measure L1** from backe tube to abduction start	**measure L2** from back tube to abduction end	**measure L3** from back tube to leading edge frame	**FL frame length**
1	20 cm	28 cm	44 cm	46,7 cm
2	24 cm	32 cm	48 cm	50,7 cm
3	28 cm	36 cm	52 cm	54,7 cm
4	32 cm	40 cm	56 cm	58,7 cm
5	36 cm	44 cm	60 cm	62,7 cm
6	42 cm	50 cm	66 cm	68,7 cm

Notice: special frame are possible on request!!

for straight frame CODE 2201 / 2101



frame length	**measure L3** from back tube to leading edge frame	**FL frame length**
1	40 cm	42,6 cm
2	44 cm	46,6 cm
3	48 cm	50,6 cm
4	52 cm	54,6 cm
5	56 cm	58,6 cm
6	60 cm	62,6 cm

Notice: special frame are possible on request!!

Technical changes and print mistakes reserved.

accessories

Headrest "light"
adjustable, alu. parts
(mounted at the back tube)



Code 2235

☐ Piece

Headrest adjustable
steel and alu. parts
(mounted at the back tube)

☐ small 24cm wide
from SW 20 - 36cm
☐ big 33cm wide
from SW 38 - 46cm




Code 2225

☐ Piece

Holder for head rest

for head rest tube:
☐ 15x15mm
Code 2225Halt
☐ Ø 19mm
Code 2235Halt




☐ Piece

accessories


holder for chest harness with folding buckles

on the vertical head rest tube Ø18,7



☐
Code 2235G
only in combination with CODE 2235

on the vertical head rest tube 15x15



☐
Code 2225G
only in combination with CODE 2225

Piece

chest harness, black
(Neopren and AGW black)
with folding buckles




Code 2235B

- without head rest:
  assembly on T-girder
  (see CODE 2223G)
- with head rest:
  with holder for chest harness
  (see CODE 2235G or 2225G)

☐ Piece

T-girder as holder
for chest harness
with straps



Code 2223G
not in combination with head rest

☐ Piece

side pads for FIDIBUS back or **without** back upholstery


side pads low shape
cover black MM190

size side pads
☐ size S D=12cm H=6cm
☐ size M D=15cm H=7cm
☐ size L D=18cm H=8cm
☐ size XL D=20,5cm H=10cm

pad rack
☐ staight B = SB-2,5cm
☐ 20mm (standard) B = SB-6,5cm
☐ 40mm B = SB-10,5cm
B = width between the side pads

side pads foldable
mounted on the back tubes

mounted on the back tubes with a clamp holder




Code 2292PA

☐ Pair

side pads pluggable
mounted on the back tubes

mounted on the back tubes with a clamp holder




Code 2292PS

☐ Pair

side pads foldable
mounted on spacer

mounted on spacer of tube holder or push handle holder




Code 2238

☐ Pair

side pads pluggable
mounted on spacer

mounted on spacer of tube holder or push handle holder



Code 2238S

☐ Pair

side pads for FIDIBUS back or **without** back upholstery


side pads narrow shape
angle-adjustable with joint element
clamped to the back tube
Cover black MM190

size side pads
☐ size S D=12cm H=6cm
☐ size M D=15cm H=7cm
☐ size L D=18cm H=8cm
☐ size XL D=20,5cm H=10cm

W = width between the side pads

side pads foldable
with straight pad splint
clamped to the back tube

Joint side pad holder flat foldable, with connecting joint and with straight pad splint




Code 22331

☐ Pair

side pads pluggable
with straight pad splint
clamped to the back tube

Plug-in connection side pad holder flat, with connection joint and with straight pad splint




Code 22332

☐ Pair

side pads foldable
with ball joint element
clamped to the back tube

Joint side pad holder flat foldable, with connecting joint and with straight pad splint with **ball**




Code 22333

☐ Pair

side pads pluggable
with ball joint element
clamped to the back tube


Plug-in connection side pad holder flat, with connection joint and with pad splint with **ball**



Code 22334

☐ Pair

additional set of joint elements
2 additional joint elements for side pads (right and left)



Code 22369

☐ Pair

side pads for FIDIBUS back or **with** back upholstery

side pads narrow shape
angle-adjustable with joint element
mounted on the spacer with bar


Cover black MM190

size side pads
☐ size S D=12cm H=6cm
☐ size M D=15cm H=7cm
☐ size L D=18cm H=8cm
☐ size XL D=20,5cm H=10cm

W = SB-2,5cm
W = width between the side pads

side pads foldable
with straight pad splint
mounted at a spacer

Joint side pad holder flat foldable, with connecting joint and with straight pad splint




Code 22361

☐ Pair

side pads foldable
with straight pad splint
mounted at a spacer

Plug-in connection side pad holder flat, with connection joint and with straight pad splint




Code 22362

☐ Pair

side pads foldable
with ball joint element
mounted at a spacer

Joint side pad holder flat foldable, with connecting joint and with straight pad splint **with ball**




Code 22363

☐ Pair

side pads pluggable
with ball joint element
mounted at a spacer


Plug-in connection side pad holder flat, with connection joint and with pad splint with **ball**



Code 22364

☐ Pair

additional set of joint elements
2 additional joint elements for side pads (right and left)







Code 22369



☐ Pair

Technical changes and print mistakes reserved.



side guard

Clothing guard round screwed on, **aluminium** with cold protection (in frame colour)	Clothing guard screwed on, **plastic** black not for frame size1	Clothing guard round **PC-Carbon** screwed on (CARBON look)	Clothing side guard **ERGO AL** aluminium with cold protection, screwed on (in frame colour)	
 Code 2233	 Code 430	 Code 230	 Code 437 not for frame size1	
☐ Pair	☐ Pair	☐ Pair	☐ Pair	

side guard

Clothing guard round, **aluminium** with cold protection and armrest screwed on (in colour of the wheelchair)	Clothing side guard **ERGO AL**, **aluminium** with cold protection and armrest **short,** screwed on (side guard in frame colour)	
☐ armrest short ☐ armrest long Code 231 	armrest short Code 4371  not for frame size1	
☐ Pair	☐ Pair	





side guard

Side guard, screwed on with armrest short and with cold protection	Side guard screwed on with armrest height adjustable	
 Code 238	Standard type (for capacity up to 50kg) armrest with rail ☐ armrest long ☐ armrest short Code 233  Strong type (for capacity up to 100kg) armrest holder with type prfile ☐ armrest long ☐ armrest short Code 239	
☐ Pair	☐ Pair	

side guard


Side guard, screwed on aluminium with cold protection	
 Code 232	
☐ Pair	

therapy table

Therapy table swing away (only in combination with armrest long)	Therapy table **clamped** on the frame with clamp attachment on the frame	Therapy table **plug** on the frame with plug attachment on the frame	Therapy table on the frame quick release clamped (at the frame)
from SW28  ☐ right mounted (standard) ☐ left mounted Code 134	abduction frame for SW 20 - 46 straight frame for SW 24 - 46  Code 138	abduction frame for SW 20 - 46 straight frame for SW 24 - 46  Code 139	 Code 138S
☐ Piece	☐ Piece	☐ Piece	☐ Piece

Technical changes and print mistakes reserved.


Position of wheel plate on the frame / wheel on the plate



position possiblilty A, B, C or D
e.g. at frame length 2, 3 and 4 with 5 holes


frame length 1 (with 4 holes)

position:
A, B or C




frame length 2, 3 and 4 (with 5 holes)

position:
A, B, C or D



frame length 5 and 6 (with 6 holes)

position:
A, B, C, D or E




Overview of the different frame forms

FINDUS Abduktion

FINDUS Mecki

FINDUS EXTREME



Sizes of frames of the open frame forms

Size	frame „Mecki“ seat depht	frame „EXTREME“ seat depth
1	22, 24, 26 oder 28cm	24, 26 oder 28cm
2	26, 28, 30 oder 32cm	28, 30 oder 32cm
3	30, 32, 34 oder 36cm	32, 34 oder 36cm
4	34, 36, 38 oder 40cm	38 oder 40cm

Note: - Seat depth is adjustable
- the frame size is independent of the seat width (SW 24 to SW 40cm is possible)

Technical changes and print mistakes reserved.

Note: Rear wheel 24" not possible in combination with frame size 1

rear wheel standard

Rear wheel standard (Alu hub) with quick release axle

pneumatic

- ☐ 20"x1 fine profile* Code 142
- ☐ 20"x1 black Code 142S
- ☐ 22"x1 rough profile* Code 147
- ☐ 22"x1 fine profile* Code 144
- ☐ 22"x1 black Code 144S
- ☐ 24"x1 fine profile* Code 157
- ☐ 24"x1 black Code 157S

solid

- ☐ 20"x1 Code 240
- ☐ 20"x1 black Code 241
- ☐ 22"x1 Code 141
- ☐ 22"x1 black Code 141S
- ☐ 24"x1 Code 154
- ☐ 24"x1 black Code 154S

Design rear wheel 24" (Alu hub silver) with quick release axle, straight spoke wheel

- ☐ 24"x1 pneumatic Code 591
- ☐ 24"x1 solid Code 592
- ☐ 24"x1 solid black Code 593

Performance tyre

- ☐ **24"x1** Code 570 Marathon Plus (grey tyre)
- ☐ **22"x1** Code 577 Marathon Plus Evolution (black tyre)
- ☐ **24"x1** Code 572 Marathon Plus Evolution (black tyre)

Right Run

24"x1	22"x1
Code 573	Code 576
☐ red	☐ black
☐ blue	
☐ grey	
☐ black	

Camber

- 0° ☐
- 3° ☐
- 5° ☐ (standard)
- 7° ☐
- 10° ☐

* grey tyres

Standard

Note: hand rim extension „narrow" is standard

handrim for rear wheel

handrim for **rear wheel standard** and **Design rear wheel 24"**

aluminium black	aluminium silver	stainless steel polished	TETRA-GRIP (Super Grip)	Maxgrepp ERGO Para	Maxgrepp ERGO Para CP	CURVE black anodized	GEKKO black anodized with rubber
☐ 20" Code 158	☐ 22" Code 492	☐ 20" Code 291	☐ 20" Code 254	☐ 20" Code 558	☐ 20" Code 559	CURVE ☐ 22" Code 4502	☐ 22" Code 4501
☐ 22" Code 455	☐ 24" Code 491	☐ 22" Code 155	☐ 22" Code 252	☐ 22" Code 550	☐ 22" Code 551	CURVE L ☐ 24" Code 4504	☐ 24" Code 4508
☐ 24" Code 454		☐ 24" Code 156	☐ 24" Code 452	☐ 24" Code 554	☐ 24" Code 555	extension ☐ narrow ☐ wide	extension ☐ narrow ☐ wide
extension narrow ☐ wide ☐			extension narrow	extension narrow	extension narrow		

Handrim cover black

- ☐ 20" Code 290
- ☐ 22" Code 191
- ☐ 24" Code 192

Standard

☐ Pair

rear wheel

SAFETY-GRIP rear wheel, rim with integrated hand rim

- ☐ 22 inch Code 261
- ☐ 24 inch Code 461

only in combination with **rear wheel standard** or **rear wheel with drum brake**

☐ Pair

Rear wheel with **drum brake** and quick release axle (for companion)

- ☐ 20 inch Code 140
- ☐ 22 inch Code 160
- ☐ 24 inch Code 159

☐ Pair

"Black Edition"

drum brake rear wheels with black rim, black hub and quick release axle with black cap and with tyre Marathon Plus Evolution (black tyre)

22"x1 or 24"x1

Code 2263

(only in combination with CODE 159 or 160)

☐ Pair

additional locking bolt on brake lever for locking

special brake lever

Code 2266

(ony in combination with CODE 140, 159 or 160 possible)

☐ Piece

Brake for companion at mono push handles mounted

with special holding and bowden cable for brake lever

Code 2279

(ony in combination with CODE 140, 159 or 160 possible)

☐ Piece

Light weight wheel

Light weight wheel **LWW** with black rim,

24 radial spokes black with black alu hand rim and pneumatic tyre (fine profile)

	grey tyre: Alu handrim **black** anodized	grey tyre: Alu handrim **silver** anodized	**black** tyre: Alu handrim **black** anodized
20 x1"	☐ CODE 2865	☐ CODE 2865S	☐ CODE 2868
22 x1"	☐ CODE 2864	☐ CODE 2864S	☐ CODE 2867
24 x1"	☐ CODE 2863	☐ CODE 2863S	☐ CODE 2866

☐ Pair solid not possible

handrim additional for the driven wheel for one hand drive

handrim in stainless steil

Code 198Z

(onyl in combination with one hand drive set)

☐ Piece

one hand drive

One hand drive with quick release axle and stainless steel hand rim

Combinaiton with drum brake possible!!

\# from SW 24cm

\# Camber max. 7°

left		distance handrim	right		distance handrim
22"	☐ Code 193	normal	22"	☐ Code 195	normal
	☐ Code 2193	narrow		☐ Code 2195	narrow
24"	☐ Code 194	normal	24"	☐ Code 196	normal
	☐ Code 2194	narrow		☐ Code 2196	narrow

☐ Pair one hand drive change kit see Code 2199ZU

distance of double handrim

normal

narrow

small distance for small handle

wheel plate for rear wheel

Light Weight Wheel **25"**

LWW 25"x1

black rim, black radial spokes, black pneumatic tyre (SENTINEL)

black tyre


black hand rim

CODE 4863

☐ Pair

Center of gravity adjustment


wheel position: _____



frame length 1 A, B, C
frame length 2 A, B, C, D
frame length 3 A, B, C, D
frame length 4 A, B, C, D
frame length 5 A, B, C, D, E
frame length 6 A, B, C, D, E

Wheel plate 20mm offset

Code 2264




frame 1 not possible
frame 2 20"/22" only Pos. C+D
24" only Pos. D
frame 3 20"/22" Pos. A - D
24" only Pos. B - D
frame 4 Pos. A - D
frame 5 / 6 Pos. A - E

wheel extension not possible;
drum brake **only conditionally** possible !!

☐ Pair

Wheel extension for drum brake




Code 2262

only with wheel plate straight

☐ Pair

Wheel extension



Code 2260

only with wheel plate straight

☐ Pair

Technical changes and print mistakes reserved.

rear wheel spoken cover

Spoken cover transparent



- ☐ 20 inch Code 164
- ☐ 22 inch Code 165
- ☐ 24 inch Code 166

☐ Pair

Spoke cover with special motives

the prices for special spoke cover are net prices and **not** discountable !!

www.speichenschutz.com

Motiv-Nr.: _____

Take the Motiv-Nr. from the Blueprince catalogue www.speichenschutz.com

☐ 24" ☐ 22" ☐ 20"

Code 2268

☐ Pair

www.rs-speichenschutz.com

Motiv-Nr.: _____

Take the Motiv-Nr. from the Design-Speichenschutz catalogue www.rs-speichenschutz.com

☐ 24" ☐ 22" ☐ 20"

Code 2267

☐ Pair

Example





Please take more informationen to the spoke cover motives from each webside

castor

Castor with screw axle short and Design fork, coloured

☐ 4 inch Skater	solid	Code 2130
☐ 4 inch	solid grey	Code 2131
☐ 5 inch	solid grey	Code 2132
☐ 140mm	solid soft grey	Code 2230
☐ 140mm	solid black	Code 2231
☐ 6 inch	solid grey	Code 2133 *
☐ 6 inch	pneumatic	Code 2136 *

plastic rim black with black PU tyre

- ☐ 4 inch PU solid black Code 2157
- ☐ 5 inch PU solid black Code 2158
- ☐ 6 inch PU solid black Code 2159 *

Notice: with 5 inch and 6 inch castor is the minimal seat height with the fork short and extra short not possible

Standard

Castor solidwith plastic rim black and black tyre (slim tyre)

- ☐ 4 inch Code 2134
- ☐ 5 inch Code 2135

☐ Pair

Soft castor plastic rim black tyre (solid) soft plastic rim black

- ☐ 5 inch Code 2148
- ☐ 6 inch Code 2149

☐ Pair

castor

Lightwheel Castor with LED-lights

- ☐ 4 inch Code 2130LED
- ☐ 5 inch Code 2139LED

☐ Pair

Soft-aluminium castor black soft tyre (solid)

Aluminium rim silver	Aluminium rim black
☐ 4 inch Code 2144	☐ 4 inch Code 2144S
☐ 5 inch Code 2145	☐ 5 inch Code 2145S

☐ Pair

Castor solid with aluminium rim black and black tyre (slim tyre)

5 inch Code 2138S

☐ Pair

castor

Design castor fork with quick release axle



Code 180

Quick release axle change kit with designgabel

☐ 4" Skater	Code 2270
☐ 4" solid	Code 2271
☐ 5" solid	Code 2272
☐ 140mm soft	Code 2273
☐ 6" solid	Code 2274
☐ 6" pneumatic	Code 2275

only in combination with CODE 180

☐ Set

Bumper wheel 63mm at castor adapter (with extra cover)

Code 2139

☐ Pair

castor

Seat height in cm

see possible wheel combination

(without cushion)

front: _____ cm

(Standard = 43/44cm)

back: _____ cm

(Standard = 41/42cm)

Castor fork with "straight keeper"

direction locking device for directional stability

for 4", 5", 140mm or 6" wheel

Code 281

Note: castor with quick release not possible!

☐ Pair

Castor fork with locking device (locking pin)

direction locking device for directional stability

for 4", 5", 140mm oder 6"-wheel

Code 2285


Note: castor with quick release not possible!

☐ Pair



* Note: frame straight Size 1 and 2 with castor 6" **not** possible !

Technical changes and print mistakes reserved.






brake

Knee angle brake offset with short lever stroke	Brake lever extension straight, foldaway	Knee angle brake "Pull to lock"	One hand brake with brake lever extension	Knee angle brake offset with **locking pin** for locking		
		pull to lock the brake 	☐ right ☐ left	 fixed in the **braked** position	fixed in the **braked** and **opened** position 	fixed in the **opened** position
☐ Code 174K	Code 175	Code 174Pull	Code 173	☐ Code 174Rast	☐ Code 174RastD	☐ Code 174RastO
Standard	☐ Pair	☐ Pair	☐ Piece			

brake

Knee angle brake 174K controlled by companion with bowden cable Combination with drum brake Code 140 / 159 / 160 or with Code 175 is not possible !!!		**additional** knee angle brake only for companion, activated with bowden cable (alternative for drum brake) (additional knee angle brake under the frame mounted) Combination with drum brake **not** possible !		
	Code 2477		Code 2476	
Code 2478	only for mono push handle (CODE 2228) (with Y - switch)	Code 2479	only for mono push handles (CODE 2228) (with Y - switch)	
☐ Pair	☐ Pair	☐ Pair	☐ Pair	

brake


Knee angle brake integrated in side guard			Knee angle brake integrated in ERGO AL side guard		
with brake lever long **cap (rubber)**	with brake lever short **hemisphere 2-piece screwed**	with brake lever curved **ball Ø32mm** screwed	with brake lever long **cap (rubber)**	with brake lever short **hemisphere 2-piece screwed**	with brake lever curved **ball Ø32mm** screwed
					
☐ Code 2289	☐ Code 2289H	☐ Code 2289A	☐ Code 2289E	☐ Code 2289K for frame size 1 not possible	☐ Code 2289B
☐ Pair only in combination with side guard **CODE 433, 232 or 230**			☐ Pair only in combination with side guard **ERGO AL CODE 437**		

Note:
the combination knee angle brake integrated in side guard Code 2289 / 2289H or 2289A and with additional knee angle brake Code 2479 or 2476 is with frame size 1 only with 20" wheel possible !!

brake

Brake for companion by brake in side guard with additional bowden cable for the companion

(only in combination with CODE 2289, 2289H, 289A, 2289E, 2289K or 2289B)



Code 2475

Combination with drum brake not possible

☐ Pair

Note:

The wheelchair **FINDUS** is tested and approved for transport in the car even without anchor plate (ISO 7176-19).
The wheelchair must be equipped with a restraint system at the defined positions be attached to the wheelchair.

CRASH ISO 7179-19 TESTED

accessories

Anchor plate system

anchor plates for transport in cars (ISO 7176-19)
Assembly kit for wheelchairs including mounting

CRASH ISO 7179-19 TESTED

Code 2288

☐ Set

Note:
Anchor plate by special frame "Mecki" and "EXTREME" is **not** possible!!!

Note:
Trike with Anchor plate is possible!!!

note

Technical changes and print mistakes reserved.

Findus accessories

trakking extension **TRIKE**
as steering and pushing aid

hook closure 

holder lateral at frame (for type d.23) with hook closure
casotr 10x2" black alu fork
arrangement with gear segment
with ramp as mounting aid

capacity up to **60kg**
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm
size 2: seat width 30cm - 34cm

CODE 9901

☐ Piece

capacity up to **90kg**
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm
size 4: seat width 42cm - 46cm

CODE 9902

☐ Piece


Trike

trakking extension
as steering and pushing aid



Findus accessories

trakking extension **TRIKE**
as steering and pushing aid

quick release
(clamp) 

holder quick release (clamp) at frame (for pipe Ø 23mm)
castor 10x2" black alu fork
arrangement of levers with gear segment
with ramp as mounting aid
with adjusting ring at frame (Ø 23mm)

capacity up to **60kg**
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm
size 2: seat width 30cm - 34cm

CODE 9921

☐ Piece

capacity up to **90kg**
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm
size 4: seat width 42cm - 46cm

CODE 9922

☐ Piece

Note:

Combination TRIKE hook closure
with anchor plate system is **not** possible!!

Combination TRIKE quick release
with anchor plate system is possible !!

Combination TRIKE-Mono
with anchor plate system is possible !!

TRIKE colour frame Edition "....-Color"

Note: the TRIKE frame parts are made of aluminium	TRIKE- frame colour powder coated Colour : frame colour (see page 1) - frame type right / left - cross tube - castor fork Code 9908	**Edition "Duo-Color"** colour 1: _____ (castor fork) colour 2: _____ (frame type right / left, cross tube) Code 9909		Castor fork with brake for directional stability Code 9909F
without extra charge	☐	☐		☐ Piece

Findus asseccories

trekking extension **TRIKE-Mono**
with mono bar central mounted
at the frame

CODE 9910

holder quick release (clamp) at the frame of the FINDUS
castor 10x2" black alu fork
mono bar telescopic
with ramp as mounting aid

capacity up to **50kg** (wheelchair incl. payload)

☐ Piece

Trike-Mono

trekking extension as
steering and pushing aid



Note:
-> only up to seat width (SW) 32cm possible
-> capacity up to 50 kg
-> only for frame length 1-4
-> not for One Hand Drive possible
Note:
the single footrest plate mounted central (Code 2259) is in combination with TRIKE-Mono **not** possible!!

TRIKE colour frame Edition "....-Colour"

Note: the TRIKE frame parts are made of aluminium	TRIKE- frame colour powder coated Colour : frame colour (see page 1) - tupe Mono-Trike - castor holder - castor fork Code 9918	**Edition "Duo-Color"** colour 1: _____ (castor fork) colour 2: _____ (mono frame tube) Code 9919		Castor fork with brake for directional stability Code 9909F
without extra charge	☐	☐		☐ Piece

Technical changes and print mistakes reserved.

note

Technical changes and print mistakes reserved.